

BIG GAIN®

GAIN MASTER 36:14

R250 P #1780RAZ

SUPPLEMENT FOR CATTLE FED IN CONFINEMENT FOR SLAUGHTER

MEDICATED

For improved feed efficiency.

ACTIVE DRUG INGREDIENT

250 gm/ton (125 mg/lb)

GUARANTEED ANALYSIS

Crude Protein, min (includes not more than 14% crude protein equivalent from non-protein nitrogen)	36.00%
Crude Fat, min	1.00%
Crude Fiber, max	9.00%
Calcium, min	5.50%
Calcium, max	6.50%
Phosphorus, min	0.50%
Magnesium, min	0.75%
Potassium, min	2.00%
Salt, min	3.00%
Salt, max	4.00%
Vitamin A, min	25,000 IU/lb
Vitamin D, min	5,000 IU/lb
Vitamin E, min	25 IU/lb

INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Roughtage Products, Forage Products, Urea, Salt, Potassium Chloride, Magnesium Oxide, Monocalcium Phosphate, Calcium Sulfate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Manganese Oxide, Zinc Oxide, Mineral Oil, Calcium Iodate, Cobalt Carbonate, Sodium Selenite, Lignin Sulfonate, Porcine Animal Fat (preserved with BHA), Urea Formaldehyde Condensation Polymer, Vitamin E Supplement, Vitamin A Supplement, Vitamin D3 Supplement.

FEEDING DIRECTIONS

Thoroughly mix 1.50 to 2.00 lb/head/day in complete feed with roughages and feed continuously depending on the body weight of the cattle to supply 5-40 g/day monensin to provide 50-480 mg/head/day of monensin. Consult your Big Gain representative for complete feeding directions. (*) 90% Dry Matter Basis.

Caution: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not exceed the levels of Monensin recommended in the feeding directions. Do not feed to lactating goats. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing.

Warning: A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal.

D-1

8/23/23

Manufactured by
BIG GAIN INC.
Mankato, MN 56001
NET WT 50 LB (22.68 KG) OR BULK INVOICE



This feed was produced in a facility certified in the American Feed Industry Association's Safe Feed/Safe Food Certification Program.

BIG GAIN®

GAIN MASTER 36:14

R250 P #1780RAZ

SUPPLEMENT FOR CATTLE FED IN CONFINEMENT FOR SLAUGHTER

MEDICATED

For improved feed efficiency.

ACTIVE DRUG INGREDIENT

250 gm/ton (125 mg/lb)

GUARANTEED ANALYSIS

Crude Protein, min (includes not more than 14% crude protein equivalent from non-protein nitrogen)	36.00%
Crude Fat, min	1.00%
Crude Fiber, max	9.00%
Calcium, min	5.50%
Calcium, max	6.50%
Phosphorus, min	0.50%
Magnesium, min	0.75%
Potassium, min	2.00%
Salt, min	3.00%
Salt, max	4.00%
Vitamin A, min	25,000 IU/lb
Vitamin D, min	5,000 IU/lb
Vitamin E, min	25 IU/lb

INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Roughtage Products, Forage Products, Urea, Salt, Potassium Chloride, Magnesium Oxide, Monocalcium Phosphate, Calcium Sulfate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Manganese Oxide, Zinc Oxide, Mineral Oil, Calcium Iodate, Cobalt Carbonate, Sodium Selenite, Lignin Sulfonate, Porcine Animal Fat (preserved with BHA), Urea Formaldehyde Condensation Polymer, Vitamin E Supplement, Vitamin A Supplement, Vitamin D3 Supplement.

FEEDING DIRECTIONS

Thoroughly mix 1.50 to 2.00 lb/head/day in complete feed with roughages and feed continuously depending on the body weight of the cattle to supply 5-40 g/day monensin to provide 50-480 mg/head/day of monensin. Consult your Big Gain representative for complete feeding directions. (*) 90% Dry Matter Basis.

Caution: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not exceed the levels of Monensin recommended in the feeding directions. Do not feed to lactating goats. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing.

Warning: A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal.

D-1

8/23/23

Manufactured by
BIG GAIN INC.
Mankato, MN 56001
NET WT 50 LB (22.68 KG) OR BULK INVOICE



This feed was produced in a facility certified in the American Feed Industry Association's Safe Feed/Safe Food Certification Program.

BIG GAIN®

GAIN MASTER 36:14

R250 P #1780RAZ

SUPPLEMENT FOR CATTLE FED IN CONFINEMENT FOR SLAUGHTER

MEDICATED

For improved feed efficiency.

ACTIVE DRUG INGREDIENT

250 gm/ton (125 mg/lb)

GUARANTEED ANALYSIS

Crude Protein, min (includes not more than 14% crude protein equivalent from non-protein nitrogen)	36.00%
Crude Fat, min	1.00%
Crude Fiber, max	9.00%
Calcium, min	5.50%
Calcium, max	6.50%
Phosphorus, min	0.50%
Magnesium, min	0.75%
Potassium, min	2.00%
Salt, min	3.00%
Salt, max	4.00%
Vitamin A, min	25,000 IU/lb
Vitamin D, min	5,000 IU/lb
Vitamin E, min	25 IU/lb

INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Roughtage Products, Forage Products, Urea, Salt, Potassium Chloride, Magnesium Oxide, Monocalcium Phosphate, Calcium Sulfate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Manganese Oxide, Zinc Oxide, Mineral Oil, Calcium Iodate, Cobalt Carbonate, Sodium Selenite, Lignin Sulfonate, Porcine Animal Fat (preserved with BHA), Urea Formaldehyde Condensation Polymer, Vitamin E Supplement, Vitamin A Supplement, Vitamin D3 Supplement.

FEEDING DIRECTIONS

Thoroughly mix 1.50 to 2.00 lb/head/day in complete feed with roughages and feed continuously depending on the body weight of the cattle to supply 5-40 g/day monensin to provide 50-480 mg/head/day of monensin. Consult your Big Gain representative for complete feeding directions. (*) 90% Dry Matter Basis.

Caution: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin medicated cattle and goat feeds are safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not exceed the levels of Monensin recommended in the feeding directions. Do not feed to lactating goats. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing.

Warning: A withdrawal time has not been established for pre-ruminating calves. Do not use in calves to be processed for veal.

D-1

8/23/23

Manufactured by
BIG GAIN INC.
Mankato, MN 56001
NET WT 50 LB (22.68 KG) OR BULK INVOICE



This feed was produced in a facility certified in the American Feed Industry Association's Safe Feed/Safe Food Certification Program.