



Lime Ridge Ag Supply Inc
LRAS 21% CALF #0382

MEDICATED

For replacement dairy calves.
 For the prevention and control of coccidiosis due to Eimeria bovis and Eimeria zuernii in calves (excluding veal calves).

ACTIVE DRUG INGREDIENT
 Monensin (as Monensin sodium)..... 40.0 g/ton

Guaranteed Analysis

Crude Protein ,(Min).....	21.0	%
Crude Fat ,(Min).....	5.1	%
Crude Fiber ,(Max).....	6.0	%
ADF ,(Max).....	6.5	%
Calcium ,(Min).....	1.3	%
Calcium ,(Max).....	1.6	%
Phosphorus ,(Min).....	0.4	%
Phosphorus - Avail ,(Min).....	1	%
Selenium ,(Min).....	0.4	ppm
Vitamin A ,(Min).....	12,962.5	IU/lb

List of Ingredients

Grain products, plant protein products, steam flaked barley, soybean oil, Sodium Sulfate, Soidum Sulfitte, Potassium Sulfate, Sodium Bentonite, Flavoring, processer grain by-products, propionic acid (a preservative), cane molasses, vegetable oil refinery lipid (feed grade), lecithin, phosphoric acid, sulfuric acid, natural and artificia flavoring, proprionic acid (preservative) and sodium benzoate (preservative), roughage product, calcium carbonate, molasses products, salt, monocalcium phosphate, yeast culture, choline chloride, calcium pantothenic acid, riboflavin, niacin, vitamin b-12 supplement, thiamine mononitrate, biotin, menadione nicotinamid bisulfite, folic acid, pyridoxine hydrochloride, sodium selenite, magnesium oxide, zinc methionine, zinc amino acid complex, copper amino acid complex, manganese amino acid complex, cobalt glucoheptonate, manganese sulfate, zinc sulfate, copper sulphate, manganous oxide, zinc oxide, mineral oil, calcium iodate, cobalt carbonate, vitamin E supplement, vitamin a supplement, urea formaldehyde condensation polymer, vegetable oil, vitamin d3 supplement, ethylenediamine dihydrioodide.

Feeding Directions

Feed up to 5 lbs per head per day.

CAUTION: Do not allow horses or other equines access to formulation containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin medicated cattle and goat feed is safe for use in cattle and goats only. Consumption by unapproved species may result in toxic reactions. Do not feed undiluted. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not exceed the levels of Monensin recommended by the feeding directions, as reduced average daily gains may result. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing.

WARNING: A withdrawal time has not been established for preruminating calves. Do not use in calves to be processed for veal.

LIMITATIONS: For calves, excluding veal calves, feed at a rate of 0.14 to 1.0 milligrams Monensin per pound of body weight per day, depending upon the severity o challenge, up to maximum of 200 milligrams per head per day.

Manufactured by:
 Lime Ridge Ag Supply, Inc
 115 Minor St
 PO Box 115
 Lime Ridge, WI 53942
 608-986-2626

Texturized
 Net weight 50 lbs (22.67 kg)

MFG DATE: 04/08/2025

MEDICATED